

All India Council for Technical Education (A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. Northern/1-1345147612/2013/EOA/Corrigendum-1

Date: 15-May-2013

Corrigendum

To, The Principal Secretary (Tech. Edu.) Govt. of Uttar pradesh, Sachiv Bhawan, Lucknow-226001, 12A, Navin Bhawan, U.P. Lucknow-226001

Sub: Extension of approval for the academic year 2013-14.

Ref: Application of the Institution for Extension of Approval for the Year 2013-14

EOA Issued on F.No. Northern/1-1345147612/2013/EOA 19-Mar-2013

EOA Printed on F.No. Northern/1-1345147612/2013/EOA 30-Apr-2013

Corrigendum 1 F.No. Northern/1-1345147612/2013/EOA/Corrigendum-1 15-May-2013

Sir/Madam,

In partial modification of the letter F.No. Northern/1-1345147612/2013/EOA and in terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	Northern	Application Id	1-1345147612
	7/	Permanent Id	1-6029336
Name of the Institute	MORADABAD INSTITUTE OF TECHNOLOGY	Institute Address	RAM GANGA VIHAR PHASE - 2 MORADABAD,MORADABAD,MORADABAD,Uttar Pradesh,244001
Name of the Society/Trust	MORADABAD EDUCATIONAL TRUST	Society/Trust Address	RAM GANGA VIHAR PHASE - 2,MORADABAD,MORADABAD,Uttar Pradesh,244001
Institute Type	Unaided - Private		

Opted for change from	No	Opted for change of	No	Opted for change of	No
Women to Co-ed		name		site	
Change from Women to Co-ed approved	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

to conduct following courses with the intake indicated below for the academic year 2013-14

Application Number: 1-1345147612* Page 1 of 4

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:17 May 2013.

Printed By: AE3294961





7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application ld: 1-1345147612			Course		Affiliating Body			for 2013-			ation
Program	Shift	Level		Full/Part Time		Intake 2011-12	Intake 2012-13	Intake Approved for 14	NRI	PIO	Foreign Collaboration
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	CIVIL ENGINEERING	FULL TIME	Mahamaya Technical University, Noida	60	120	120	NA	NA	
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	COMPUTER SCIENCE AND ENGINEERING	FULL TIME	Mahamaya Technical University, Noida	120	120	120	NA	NA	
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	ELECTRICAL AND ELECTRONICS ENGINEERING	FULL TIME	Mahamaya Technical University, Noida	60	60	60	NA	NA	
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	ELECTRICAL ENGINEERING	FULL TIME	Mahamaya Technical University, Noida	60	60	60	NA	NA	
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	ELECTRONICS & COMMUNICATIO N ENGG	FULL TIME	Mahamaya Technical University, Noida	180	180	180	NA	NA	
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	MECHANICAL ENGINEERING	FULL TIME	Mahamaya Technical University, Noida	120	180	180	NA	NA	
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	INFORMATION TECHNOLOGY	FULL TIME	Mahamaya Technical University, Noida	90	90	60	NA	NA	

Application Number: 1-1345147612* Page **2** of **4**

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:17 May 2013.

Printed By: AE3294961





7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <u>www.aicte-India.org</u>

Application Id: 1-1345147612			Course		Affiliating Body			for 2013-			ation
Program	Shift	Level		Full/Part Time		Intake 2011-12	Intake 2012-13	Intake Approved for 2013- 14	NRI	PIO	Foreign Collaboration
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	ELECTRONICS AND INSTRUMENTAT ION ENGINEERING	FULL TIME	Mahamaya Technical University, Noida	60	60	60	NA	NA	
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADU ATE	MECHANICAL ENGINEERING	FULL TIME	Mahamaya Technical University, Noida	18	18	18	NA	NA	
MANAGEMENT	1st Shift	POST GRADU ATE	MASTERS IN BUSINESS ADMINISTRATIO N	FULL TIME	Mahamaya Technical University, Noida	60	60	60	NA	NA	
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADU ATE	CHEMICAL ENGINEERING	FULL TIME	Mahamaya Technical University, Noida	60	60	60	NA	NA	
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRADU ATE	ELECTRONICS & COMMUNICATIO N ENGG	FULL TIME	Mahamaya Technical University, Noida	18	18	18	NA	NA	

• Validity of the course details may be verified at www.aicte-india.org>departments>approvals

The above mentioned approval is subject to the condition that MORADABAD INSTITUTE OF TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Application Number: 1-1345147612* Page 3 of 4

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:17 May 2013.

Printed By: AE3294961



All India Council for Technical Education (A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

(Dr. Kuncheria P. Isaac) Member Secretary, AICTE

Copy to:

1. The Regional Officer,

All India Council for Technical Education Govt. Polytechnic Campus Adjoining Directorate of Technical Education Vikas Nagar, Kanpur-208 002, Uttar Pradesh

- 2. The Director Of Technical Education, Uttar Pradesh
- The Registrar, Mahamaya Technical University, Noida
- 4. The Principal / Director, MORADABAD INSTITUTE OF TECHNOLOGY RAM GANGA VIHAR PHASE - 2 MORADABAD, MORADABAD,MORADABAD, Uttar Pradesh,244001
- The Secretary / Chairman, MORADABAD EDUCATIONAL TRUST RAM GANGA VIHAR PHASE - 2, MORADABAD,MORADABAD, Uttar Pradesh,244001
- 6. Guard File(AICTE)

Printed By: AE3294961

Application Number: 1-1345147612* Page 4 of 4

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:17 May 2013.